

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Hose with Yellow Coating



1/4" BSP Female Cone X 1/4" BSP Female Cone	
430606 - 0900	900mm
430606 - 1200	1200mm
430606 - 1800	1800mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

6mm ID S/Steel Gas Hose with Yellow Coating



1/4" BSP Female Cone x 1/4" BSPT Male	
430607 - 0600	600mm
430607 - 0900	900mm
430607 - 1200	1200mm
430607 - 1800	1800mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating



Hand Wheel POL Male X 1/4" Inverted Flare	
430621 - 0450	450mm
430621 - 0600	600mm
430621 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating




Hand Wheel POL Male X
1/4"BSPT Male

430622 - 0450	450mm
430622 - 0600	600mm
430622 - 1000	1000mm

AGA7851 AS/NZS1869 Class F 2600kPa

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating



POL (Brass Nut) Male X
1/4" Inverted Flare

430623 - 0600	600mm
430623 - 1000	1000mm

AGA7851 AS/NZS1869 Class F 2600kPa

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating



POL (Brass Nut) Male X
1/4" NPT Male

430624 - 0600	600mm
430624 - 1000	1000mm

AGA7851 AS/NZS1869 Class F 2600kPa

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating



LCC27 Hand Wheel x 1/4" Inverted Flare Male	
430641 - 0450	450mm
430641 - 0600	600mm
430641 - 0900	900mm
AGA7851 AS/NZS1869 Class F 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating



LCC27 Hand Wheel x 1/4" BSPT Weld Male	
430642 - 0450	450mm
430642 - 0600	600mm
430642 - 0900	900mm
AGA7851 AS/NZS1869 Class F 2600kPa	

8mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating



POL (Brass Nut) Male x POL (Brass Nut) Male	
430825 - 0600	600mm
430825 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

8mm ID S/Steel Gas Bayonet Hose with Grey Coating




Male Bayonet Adaptor x 3/8" SAE Female Flare (45deg)

430828 - 0900	900mm
430828 - 1200	1200mm
430828 - 1500	1500mm
430828 - 2000	2000mm
430828 - 3000	3000mm

AGA7851 AS/NZS1869 Class B 14kPa

10mm ID S/Steel Gas Bayonet Hose with Grey Coating



Male Bayonet Adaptor x 3/8" BSP Female Flare (60deg)

431003 - 1200	1200mm
431003 - 1500	1500mm
431003 - 2000	2000mm
431003 - 3000	3000mm

AGA7851 AS/NZS1869 Class B 14kPa

10mm ID S/Steel Gas Bayonet Hose with Yellow Coating



3/8" BSP Female Flare x 3/8" BSPT Male (60deg)


431004 - 0600	600mm
431004 - 0900	900mm
431004 - 1500	1500mm
431004 - 2000	2000mm
431004 - 3000	3000mm

AGA7851 AS/NZS1869 Class D F G 2600kPa

KEEFLEX 43 SERIES S-Core Gas Hose - Yellow

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Hose with Yellow Coating



3/8" BSP Female Cone x 3/8" BSP Female Cone	
431008 - 0600	600mm
431008 - 0900	900mm
431008 - 1500	1500mm
431008 - 2000	2000mm
431008 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Hose with Yellow Coating



3/8" BSP Female Flare (60deg) x 3/8" BSP Female Flare	
431011 - 0300	300mm
431011 - 0600	600mm
431011 - 0900	900mm
431011 - 1200	1200mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Hose with Yellow Coating




3/8" SAE Female Flare x 3/8" SAE Female Flare (45deg)	
431012 - 0400	400mm
431012 - 0600	600mm
431012 - 0900	900mm
431012 - 1200	1200mm
431012 - 1500	1500mm
431012 - 2000	2000mm
431012 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Hose with Yellow Coating



3/8" SAE Female Flare (45deg) x 3/8" BSPT Male

431013 - 0450	450mm
431013 - 0600	600mm
431013 - 0900	900mm
431013 - 1500	1500mm
431013 - 2000	2000mm
431013 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

10mm ID S/Steel Gas Hose with Yellow Coating



1/2" BSP Female Cone x 1/2" BSP Female Cone with Male & Female Unions

431016 - 0300	300mm
431016 - 0450	450mm
431016 - 0600	600mm
431016 - 0900	900mm
431016 - 1000	1000mm
431016 - 1200	1200mm
431016 - 1500	1500mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

10mm ID S/Steel Gas Hose with Grey Coating



Male Bayonet Adaptor x 3/8" SAE Female Flare (45deg)

431028 - 1200	1200mm
431028 - 1500	1500mm
431025 - 1800	1800mm
431028 - 2000	2000mm

AGA7851 AS/NZS1869 CLASS B 14kPa

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Bayonet Hose with Grey Coating



Male Bayonet Adaptor x
1/2" BSPT Male

431201 - 1200	1200mm
431201 - 1500	1500mm
431201 - 1800	1800mm
431201 - 2000	2000mm
431201 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS B 14kPa

12mm ID S/Steel Gas Bayonet Hose with Grey Coating



Male Bayonet Adaptor x
1/2" Female Flare (60deg)

431202 - 0900	900mm
431202 - 1200	1200mm
431202 - 1500	1500mm
431202 - 2000	2000mm
431202 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS B 14kPa

12mm ID S/Steel Gas Bayonet Hose with Yellow Coating



1/2" BSP Female Flare (60deg)
x 1/2" BSPT Male

431205 - 0400	400mm
431205 - 0600	600mm
431205 - 0900	900mm
431205 - 1200	1200mm
431205 - 1800	1800mm
431205 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

12mm ID S/Steel Gas Hose with Yellow Coating



1/2" BSP Female Flare (60deg)
x 1/2" BSP Female Flare (60deg)

431210 - 0600	600mm
431210 - 0900	900mm
431210 - 1200	1200mm
431210 - 1800	1800mm
431210 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

12mm ID S/Steel Gas Bayonet Hose with Yellow Coating



1/2" BSP Female Cone x 1/2" BSP Female Cone
with Male & Female Unions

431216 - 0400	400mm
431216 - 0600	600mm
431216 - 0900	900mm
431216 - 1000	1000mm
431216 - 1200	1200mm
431216 - 1500	1500mm
431216 - 1800	1800mm
431216 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

20mm ID S/Steel Gas Hose with Yellow Coating



3/4" BSP Female Cone x 3/4" BSPT Female Cone
with Male & Female Unions

432018 - 0650	650mm
432018 - 0900	900mm
432018 - 1200	1200mm
432018 - 1500	1500mm
432018 - 1800	1800mm
432018 - 3000	3000mm

AGA7851 AS/NZS1869 CLASS B 14kPa

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

25mm ID S/Steel Gas Hose with Yellow Coating



1" BSP Female Cone x 1" Female Cone
with Male & Female Unions

432526 - 0900	900mm
432526 - 1200	1200mm
432526 - 1500	1500mm
432526 - 1800	1800mm
432526 - 2000	2000mm

AGA7851 AS/NZS1869 CLASS B 14kPa

KEEFLEX S-CORE FLOW RATES

S-Core 1/2" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4312XX- Series 1/2" Gas Connector	Description - 1/2" Male x 1/2" Fem. (BSP)	900mm. / (36" inch) 132mj/hr. NG	1200mm. / (48" inch) 112mj/hr. NG.
-----------------------------------	---	-------------------------------------	---------------------------------------

S-Core 1/2" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4312XX-Series 1/2" Gas Connector	Description - 1/2" Male x 1/2" Fem. (BSP)	900mm. / (36" inch) 211mj/hr. LPG.	1200mm. / (48" inch) 178mj/hr. LPG.
----------------------------------	---	---------------------------------------	--

S-Core 3/4" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4320XX- Series 3/4" Gas Connector	Description - 3/4" Male x 3/4" Fem. (BSP)	900mm. / (36" inch) 280mj/hr. NG.	1200mm. / (48" inch) 220mj/hr. NG.
-----------------------------------	---	--------------------------------------	---------------------------------------

S-Core 3/4" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4320XX- Series 3/4" Gas Connector	Description - 3/4" Male x 3/4" Fem. (BSP)	900mm. / (36" inch) 420mj/hr. LPG	1200mm. / (48" inch) 350mj/hr. NG.
-----------------------------------	---	--------------------------------------	---------------------------------------

S-Core 1" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4325XX- Series 1" Gas Connector	Description - 1" Male x 1" Fem. (BSP)	900mm. / (36" inch) 520mj/hr. NG	1200mm. / (48" inch) 450mj/hr. NG.
---------------------------------	---------------------------------------	-------------------------------------	---------------------------------------

S-Core 1" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4325XX- Series 1" Gas Connector	Description - 1" Male x 1" Fem. (BSP)	900mm. / (36" inch) 840mj/hr. NG	1200mm. / (48" inch) 720mj/hr. NG.
---------------------------------	---------------------------------------	-------------------------------------	---------------------------------------

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

12mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)



GAS HOSE KIT 1/2" BSP CASTOR KIT QUICK DISCONNECT

431216 - 0600HK	600mm
431216 - 0900HK	900mm
431216 - 1200HK	1200mm
431216 - 1500HK	1500mm
431216 - 1800HK	1800mm
431216 - 3000HK	3000mm

AGA7851 AS/NZS1869 CLASS D F G 2600kPa

20mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)



GAS HOSE KIT 3/4" BSP CASTOR KIT QUICK DISCONNECT

432018 - 0650HK	650mm
432018 - 0900HK	900mm
432018 - 1200HK	1200mm
432018 - 1500HK	1500mm

AGA7851 AS/NZS1869 CLASS B 14kPa

25mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)




GAS HOSE KIT 1" BSP CASTOR KIT QUICK DISCONNECT

432526 - 0600HK	600mm
432526 - 0900HK	900mm
432526 - 1200HK	1200mm
432526 - 1500HK	1500mm
432526 - 1800HK	1800mm

AGA7851 AS/NZS1869 CLASS B 14kPa

KEEFLEX 43 SERIES S-Core Gas Hose

32mm ID S/Steel Gas Hose Non-Coated




1-1/4" BSP Female Cone x 1-1/4" BSP Female Cone
with Male Unions

433228NC - 1200	1200mm
433228NC - 1500	1500mm
433228NC - 2000	2000mm
433228NC - 2500	2500mm

AGA7851 AS/NZS1869 CLASS B 14kPa

40mm ID S/Steel Gas Hose Non-Coated



1-1/2" BSP Female Cone x 1-1/2" bSP Female Cone
with Male Unions

434029NC - 0500	500mm
434029NC - 1000	1000mm
434029NC - 1200	1200mm
434029NC - 1500	1500mm
434029NC - 2000	2000mm
434029NC - 2500	2500mm

AGA7851 AS/NZS1869 CLASS B 14kPa

50mm ID S/Steel Gas Hose Non-Coated



2" BSP Female Cone x 2" BSP Female Cone
with Male Unions

435030NC - 1000	1000mm
435030NC - 1500	1500mm
435030NC - 1800	1800mm
435030NC - 2000	2000mm
435030NC - 3000	3000mm

AGA7851 AS/NZS1869 CLASS B 14kPa