KEEFER BROS
(AUST) PTY LTD

ESTD. 1928

"90 years" **Servicing the Gas Industry**

Flexible Hoses and Accessories

134 Malcolm Road (PO Box 972) Braeside VIC 3195
Tel: +61 3 9580 4777 Fax:+61 3 9580 8011
Email: **sales@keeferbros.com.au** www.keeferbros.com.au

bsi. ISO 9001 Quality Management

FS604807

KEEFER BROS (AUST) PTY. LTD.

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

1/4" BSP Female Cone X 1/4" BSP Female Cone	
430606 - 0900	900mm
430606 - 1200	1200mm
430606 - 1800	1800mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

1/4" BSP Female Cone X 1/4" BSPT Male	
430607 - 0600	600mm
430607 - 0900	900mm
430607 - 1200	1200mm
430607 - 1800	1800mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

Hand Wheel POL Male X 1/4" Inverted Flare	
430621 - 0450	450mm
430621 - 0600	600mm
430621 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

Hand Wheel POL Male X 1/4" BSPT Male	
430622 - 0450	450mm
430622 - 0600	600mm
430622 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

POL (Brass Nut) Male X 1/4" Inverted Flare	
430623 - 0600	600mm
430623 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating



POL (Brass Nut) Male X 1/4" NPT Male	
430624 - 0600	600mm
430624 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating



LCC27 Hand Wheel X 1/4" Inverted Flare Male	
430641 - 0450	450mm
430641 - 0600	600mm
430641 - 0900	900mm
AGA7851 AS/NZS1869 Class F 2600kPa	

6mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating

LCC27 Hand Wheel X 1/4" BSPT Weld Male	
430642 - 0450	450mm
430642 - 0600	600mm
430642 - 0900	900mm
AGA7851 AS/NZS1869 Class F 2600kPa	

8mm ID S/Steel Gas Pigtail LPG Hose with Yellow/Black Coating



POL Brass Nut Male X POL Brass Nut Male	
430825 - 0600	600mm
430825 - 1000	1000mm
AGA7851 AS/NZS1869 Class F 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Hose with Yellow Coating

3/8" BSP Female Cone X 3/8" BSP Female Cone	
431008 - 0600	600mm
431008 - 0900	900mm
431008 - 1500	1500mm
431008 - 2000	2000mm
431008 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Hose with Yellow Coating

3/8" BSP Female Flare (60deg) X 3/8" BSP Female Flare	
431011 - 0300	300mm
431011 - 0600	600mm
431011 - 0900	900mm
431011 - 1200	1200mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

3/8" SAE Female Flare X 3/8" SAE Female Flare (45deg)	
431012 - 0400	400mm
431012 - 0600	600mm
431012 - 0900	900mm
431012 - 1200	1200mm
431012 - 1500	1500mm
431012 - 2000	2000mm
431012 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Hose with Yellow Coating

3/8" BSP Female Cone X 3/8" BSP Female Cone	
431008 - 0600	600mm
431008 - 0900	900mm
431008 - 1500	1500mm
431008 - 2000	2000mm
431008 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Hose with Yellow Coating

3/8" BSP Female Flare (60deg) X 3/8" BSP Female Flare	
431011 - 0300	300mm
431011 - 0600	600mm
431011 - 0900	900mm
431011 - 1200	1200mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Pigtail LPG Hose with Yellow Coating

3/8" SAE Female Flare X 3/8" SAE Female Flare (45deg)	
431012 - 0400	400mm
431012 - 0600	600mm
431012 - 0900	900mm
431012 - 1200	1200mm
431012 - 1500	1500mm
431012 - 2000	2000mm
431012 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

10mm ID S/Steel Gas Hose with Yellow Coating

3/8" SAE Female Flare (45deg) X 3/8" BSPT Male	
431013 - 0450	450mm
431013 - 0600	600mm
431013 - 0900	900mm
431013 - 1500	1500mm
431013 - 2000	2000mm
431013 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Hose with Yellow Coating

1/2" BSP Female Cone X 1/2" BSP Female Flare with Male & Female Unions	
431016 - 0300	300mm
431016 - 0450	450mm
431016 - 0600	600mm
431016 - 0900	900mm
431016 - 1000	1000mm
431016 - 1200	1200mm
431016 - 1500	1500mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

10mm ID S/Steel Gas Bayonet Hose with Grey Coating

Male Bayonet Adaptor X 3/8" SAE Female Flare (45deg)	
431028 - 1200	1200mm
431028 - 1500	1500mm
431028 - 1800	1800mm
431028 - 2000	2000mm
AGA7851 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

12mm ID S/Steel Gas Bayonet Hose with Grey Coating

Male Bayonet Adaptor X 1/2" BSPT Male	
431201 - 1200	1200mm
431201 - 1500	1500mm
431201 - 1800	1800mm
431201 - 2000	2000mm
431201 - 3000	3000mm
AGA7851 AS/NZS1869 Class B 14kPa	

12mm ID S/Steel Gas Bayonet Hose with Grey Coating

Male Bayonet Adaptor X 1/2" Female Flare (60deg)	
431202 - 0900	900mm
431202 - 1200	1200mm
431202 - 1500	1500mm
431202 - 2000	2000mm
431202 - 3000	3000mm
AGA7851 AS/NZS1869 Class B 14kPa	

12mm ID S/Steel Gas Bayonet Hose with Yellow Coating

1/2" BSP Female Flare (60deg) X 1/2" BSPT Male	
431205 - 0400	400mm
431205 - 0600	600mm
431205 - 0900	900mm
431205 - 1200	1200mm
431205 - 1800	1800mm
431205 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

12mm ID S/Steel Gas Hose with Yellow Coating

1/2" BSP Female Flare (60deg) X 1/2" BSP Female Flare (60deg)	
431210 - 0600	600mm
431210 - 0900	900mm
431210 - 1200	1200mm
431210 - 1800	1800mm
431210 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

12mm ID S/Steel Gas Hose with Yellow Coating

1/2" BSP Female Cone X 1/2" BSP Female Flare with Male & Female Unions	
431216 - 0400	400mm
431216 - 0600	600mm
431216 - 0900	900mm
431216 - 1000	1000mm
431216 - 1200	1200mm
431216 - 1500	1500mm
431216 - 1800	1800mm
431216 - 3000	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

20mm ID S/Steel Gas Hose with Yellow Coating

3/4" BSP Female Cone X 3/4" BSPT Female Cone with Male & Female Unions	
432018 - 0650	650mm
432018 - 0900	900mm
432018 - 1200	1200mm
432018 - 1500	1500mm
432018 - 1800	1800mm
432018 - 3000	3000mm
AGA7851 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

25mm ID S/Steel Gas Hose with Yellow Coating

1" BSP Female Cone x 1" Female Cone with Male & Female Unions	
432526 - 0900	900mm
432526 - 1200	1200mm
432526 - 1500	1500mm
432526 - 1800	1800mm
432526 - 2000	2000mm
AGA7851 AS/NZS1869 CLASS B 14kPa	

KEEFLEX S-CORE FLOW RATES

S-Core 1/2" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4312XX- Series ½" Gas Connector	Description - ½" Male x ½" Fem. (BSP)	900mm. / (36" inch) 132mj/hr. NG	1200mm. / (48" inch) 112mj/hr. NG.

S-Core 1/2" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4312XX-Series ½" Gas Connector	Description - ½" Male x ½" Fem. (BSP)	900mm. / (36" inch) 211mj/hr. LPG.	1200mm. / (48" inch) 178mj/hr. LPG.

S-Core 3/4" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4320XX- Series ¾" Gas Connector	Description – ¾" Male x ¾" Fem. (BSP)	900mm. / (36" inch) 280mj/hr. NG.	1200mm. / (48" inch) 220mj/hr. NG.

S-Core 3/4" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4320XX- Series ¾" Gas Connector	Description - ¾" Male x ¾" Fem. (BSP)	900mm. / (36" inch) 420mj/hr. LPG	1200mm. / (48" inch) 350mj/hr. NG.

S-Core 1" Yellow Coated - **Natural Gas** - Flow Rates (with a 0.124Kpa pressure drop)

4325XX- Series 1" Gas Connector	Description - 1" Male x 1" Fem. (BSP)	900mm. / (36" inch) 520mj/hr. NG	1200mm. / (48" inch) 450mj/hr. NG.

S-Core 1" Yellow Coated - **LPG** - Flow Rates (with a 0.124Kpa pressure drop)

4325XX- Series 1" Gas Connector	Description - 1" Male x 1" Fem. (BSP)	900mm. / (36" inch) 840mj/hr. NG	1200mm. / (48" inch) 720mj/hr. NG.

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 43 SERIES S-Core Gas Hose

PVC Coated Fire Retardent Chemical Resistant Kink Proof Zero Extractable Phthalates

12mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)

Gas Hose Kit 1/2" BSP Castor Kit Quick Disconnect	
431216 - 0600HK	600mm
431216 - 0900HK	900mm
431216 - 1200HK	1200mm
431216 - 1500HK	1500mm
431216 - 1800HK	1800mm
431216 - 3000HK	3000mm
AGA7851 AS/NZS1869 Class D F G 2600kPa	

20mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)

Gas Hose Kit 3/4" BSP Castor Kit Quick Disconnect	
432018 - 0650HK	650mm
432018 - 0900HK	900mm
432018 - 1200HK	1200mm
432018 - 1500HK	1500mm
AGA7851 AS/NZS1869 Class B 14kPa	

25mm ID Gas Hose Kit (S/Steel with Yellow Coated Hose)

Gas Hose Kit 1" BSP Castor Kit Quick Disconnect	
432526 - 0600HK	600mm
432526 - 0900HK	900mm
432526 - 1200HK	1200mm
432526 - 1500HK	1500mm
432526 - 1800HK	1800mm
AGA7851 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 43 SERIES S-Core Gas Hose

Stainless Steel All Metalic

32mm ID S/Steel Gas Hose Non-Coated

1-1/4" BSP Female Cone X 1-1/4" BSP Female Cone with Male Unions	
433228NC - 1200	1200mm
433228NC - 1500	1500mm
433228NC - 2000	2000mm
433228NC - 2500	2500mm
AGA7851 AS/NZS1869 Class B 14kPa	

40mm ID S/Steel Gas Hose Non-Coated



1-1/2" BSP Female Cone X 1-1/2" BSP Female Cone with Male Umions	
434029NC - 0500	500mm
434029NC - 1000	1000mm
434029NC - 1200	1200mm
434029NC - 1500	1500mm
434029NC - 2000	2000mm
434029NC - 2500	2500mm
AGA7851 AS/NZS1869 Class B 14kPa	

50mm ID S/Steel Gas Hose Non-Coated

2" BSP Female Cone X 2" BSP Female Cone with Male Unions	
435030NC - 1000	1000mm
435030NC - 1500	1500mm
435030NC - 1800	1800mm
435030NC - 2000	2000mm
435030NC - 3000	3000mm
AGA7851 AS/NZS1869 Class B 14kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX QUICK DISCONNECT COUPLING

KEEFLEX Quick Disconnect Coupling

Coupling Quick Disconnect - Gas	
QDC15	1/2" Female X 1/2" Female
QDC20	3/4" Female X 3/4" Female
QDC25	1" Female X 1" Female
AGA8100 AS/NZS4627 140kPa	

KEEFLEX Brass Coupling Quick Disconnect - Small

Coupling Quick Disconnect - Gas	
21018	1/8" Female X 1/8" Female
21014	1/4" Female X 1/4" Female
21038	3/8" Female X 3/8" Female
AGA3649 AS/NZS4627 2600kPa	

KEEFLEX Stainless Steel TEMA Coupling Quick Disconnect

TEMA Coupling Quick Disconnect - AGA Approved	
130250 (45,000 kPa)	1/4" Female X 1/4" Female
130380 (35,000 kPa)	3/8" Female X 3/8" Female
130500 (30,000 kPa)	1/2" Female X 1/2" Female
131750 (28,000 kPa)	3/4" Female X 3/4" Female
131000 (25,000 kPa)	1" Female X 1" Female
131500 (20,000 kPa)	1-1/2" Fem X 1-1/2" Fem
AGA8340 AS/NZS4627	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEGAS ACCESSORIES

KEEGAS Gas Swivel Elbow

Gas Swivel Elbow 40kPa	
GSW15MF	1/2" Male
GSW20MF	3/4" Male
GSW25MF	1" Male

KEEGAS Appliance Restraining Kit

Appliance Restraining Kit	
HRK-350	for Gas Hose 350mm
HRK-450	for Gas Hose 450mm
HRK-750	for Gas Hose 750mm
HRK-900	for Gas Hose 900mm
HRK-1050	for Gas Hose 1050mm
HRK-1350	for Gas Hose 1350mm

KEEGAS TEMA Dust Cap and Dust Plug

TEMA Dust Cap	TEMA Dust Plug
130250-DC - 1/4"	130250-DP - 1/4"
130380-DC - 3/8"	130380-DP - 3/8"
130500-DC - 1/2"	130500-DP - 1/2"
131750-DC - 3/4"	131750-DP - 3/4"
131000-DC - 1"	131000-DP - 1"
131500-DC - 1-1/2"	131500-DP - 1-1/2"

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

8mm ID Stainless Steel Braided Gas Hose

3/8" BSP Female Flare (60deg) X 3/8" BSP Female Flare	
330805 - 0600	600mm
330805 - 0900	900mm
330805 - 1200	1200mm
330805 - 1800	1800mm
330805 - 2700	2700mm
AGA7854 AS/NZS1869 Class D 2600kPa	

8mm ID Stainless Steel Braided Gas Hose

3/8" BSP Female Flare X 3/8" BSPT Male	
330806 - 0600	600mm
330806 - 0900	900mm
330806 - 1200	1200mm
330806 - 1800	1800mm
330806 - 2700	2700mm
AGA7854 AS/NZS1869 Class D 2600kPa	

8mm ID Stainless Steel Braided Gas Hose

1/4" BSP Female Cone X 1/4" BSP Female Cone	
330809 - 0600	600mm
330809 - 0900	900mm
330809 - 1200	1200mm
330809 - 1800	1800mm
330809 - 2000	2000mm
330809 - 3000	3000mm
AGA7854 AS/NZS1869 Class D 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

8mm ID Stainless Steel Braided Gas Hose

1/4" BSP Female Cone X 1/4" BSPT Male	
330810 - 1000	1000mm
330810 - 1800	1800mm
330810 - 2000	2000mm
330810 - 3000	3000mm
AGA7854 AS/NZS1869 Class D 2600kPa	

8mm ID Stainless Steel Braided Gas Hose

1/4" BSP Female Cone X 3/8" BSPT Male	
330811 - 0600	600mm
330811 - 0900	900mm
330811 - 1200	1200mm
330811 - 1800	1800mm
330811 - 2400	2400mm
AGA7854 AS/NZS1869 Class D 2600kPa	

8mm ID Stainless Steel Braided Pigtail Hose

POL Hand Wheel X 1/4" Inverted Male Flare (7/16" UNF)	
330821 - 0450	450mm
330821 - 0600	600mm
330821 - 1000	1000mm
AGA8258 AS/NZS1869 Class F 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

8mm ID Stainless Steel Braided Pigtail Hose

POL Hand Wheel X 1/4" NPT Male	
330822 - 0450	450mm
330822 - 0600	600mm
AGA8258 AS/NZS1869 Class F 2600kPa	

8mm ID Stainless Steel Braided Gas Hose

POL X 1/4" Inverted Male Flare (7/16" UNF)	
330823 - 0450	450mm
330823 - 0600	600mm
330823 - 1000	1000mm
AGA8258 AS/NZS1869 Class F 2600kPa	

8mm ID Stainless Steel Braided Gas Hose



POL X 1/4" NPT Male	
330824 - 0450	450mm
330824 - 0600	600mm
AGA8258 AS/NZS1869 Class F 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

8mm ID Stainless Steel Braided Gas Hose

3/8" BSPT Male X 3/8" SAE Female Flare	
330826 - 0600	600mm
330826 - 0900	900mm
330826 - 1200	1200mm
330826 - 1500	1500mm
330826 - 1800	1800mm
330826 - 2000	2000mm
330826 - 2700	2700mm
330826 - 3000	3000mm
AGA8258 AS/NZS1869 Class D 2600kPa	

8mm ID Stainless Steel Braided Pigtail Hose

POL Hand Wheel X CGA600 Male	
330840 - 0900	900mm
AGA8258 AS/NZS1869 Class F 2600kPa	

8mm ID Stainless Steel Braided Pigtail Hose

LCC27 Hand Wheel X 1/4" Inverted Male Flare (7/16" UNF)	
330841 - 0450	450mm
330841 - 0600	600mm
330841 - 0900	900mm
AGA8258 AS/NZS1869 Class F 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

8mm ID Stainless Steel Braided Pigtail Hose

LCC27 Hand Wheel X 1/4" BSPT Male	
330842 - 0450	450mm
330842 - 0600	600mm
330842 - 0900	900mm
AGA8258 AS/NZS1869 Class F 2600kPa	

8mm ID Stainless Steel Braided Pigtail Hose

LCC27 Hand Wheel X CGA600 Male	
330846 - 0900	900mm
AGA8258 AS/NZS1869 Class F 2600kPa	

10mm ID Stainless Steel Braided Bayonet Hose

Male Bayonet X 1/4" BSP Female Cone	
331002 - 1200	1200mm
331002 - 1500	1500mm
331002 - 2000	2000mm
331002 - 3000	3000mm
AGA7854 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

10mm ID Stainless Steel Bayonet Hose

Male Bayonet X 3/8" SAE Female Flare (45deg)	
331003 - 1200	1200mm
331003 - 1500	1500mm
331003 - 2000	2000mm
331003 - 3000	3000mm
AGA7854 AS/NZS1869 Class B 14kPa	

10mm ID Stainless Steel Braided Hose

3/8" BSP Female Flare X 3/8" BSPT Male	
331006 - 1500	1500mm
331006 - 2000	2000mm
331006 - 3000	3000mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Braided Hose

1/4" BSP Female Cone X 3/8" BSP Female Cone	
331007 - 1500	1500mm
AGA7854 AS/NZS1869 Class D 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

10mm ID Stainless Steel Braided Hose

1/2" BSP Female Cone X 3/8" BSP Female Cone	
331008 - 1500	1500mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Braided Hose

1/4" BSP Female Cone X 1/4" BSP Female Cone	
331009 - 0430	430mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Braided Hose

1/2"BSP Female Cone X 1/2" BSP Female Cone	
331012 - 0300	300mm
331012 - 0320	320mm
331012 - 0400	400mm
331012 - 0450	450mm
331012 - 0600	600mm
331012 - 0900	900mm
331012 - 1200	1200mm
331012 - 2000	2000mm
331012 - 3000	3000mm
AGA7854 AS/NZS1869 Class D 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

10mm ID Stainless Steel Braided Hose

1/2" BSP Female Cone X 1/2" BSPT Male	
331013 - 0300	300mm
331013 - 0400	400mm
331013 - 0450	450mm
331013 - 0600	600mm
331013 - 0900	900mm
331013 - 1000	1000mm
331013 - 1200	1200mm
331013 - 1500	1500mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Bayonet Hose

Male Bayonet X 1/2" BSPT Male	
331015 - 0600	600mm
331015 - 0900	900mm
331015 - 1200	1200mm
331015 - 1800	1800mm
331015 - 2000	2000mm
AGA7854 AS/NZS1869 Class B 14kPa	

10mm ID Stainless Steel Braided Hose

1/2" BSP Female Flare X 1/2" BSP Female Flare (60deg)	
331016 - 0300	300mm
331016 - 0600	600mm
331016 - 0900	900mm
331016 - 1200	1200mm
331016 - 1500	1500mm
AGA7854 AS/NZS1869 Class D 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

10mm ID Stainless Steel Braided Hose

3/8" SAE Female Flare X 3/8" SAE Female Flare (45deg)	
331027 - 0240	240mm
331027 - 0400	400mm
331027 - 0530	530mm
331027 - 0600	600mm
331027 - 0900	900mm
331027 - 1200	1200mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Braided Hose

1/2" BSPT Male X 3/8" SAE Female Flare (45deg)	
331028 - 0150	150mm
331028 - 0220	220mm
331028 - 0300	300mm
331028 - 2500	2500mm
AGA7854 AS/NZS1869 Class D 2600kPa	

10mm ID Stainless Steel Bayonet Hose

Bayonet X 3/8" BSP Female Flare (60deg)	
331029 - 1500	1500mm
331029 - 3000	3000mm
AGA7854 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

12mm ID Stainless Steel Bayonet Hose

Bayonet X 1/2" BSPT Male	
331215 - 0600	600mm
331215 - 0900	900mm
331215 - 1200	1200mm
331215 - 1800	1800mm
331215 - 2000	2000mm
AGA7854 AS/NZS1869 Class B 14kPa	

10mm ID Stainless Steel Braided Hose - **BBQ ASSEMBLY**

LCC27 X 3/8" SAE Female Flare	
1257007 - 0600	600mm
1257007 - 0900	900mm
1257007 - 1200	1200mm
1257007 - 1500	1500mm
1257007 - 2000	2000mm
AGA6850 AS/NZS1869	

10mm ID Stainless Steel Braided Hose - **BBQ ASSEMBLY**

LCC27 X 3/8" SAE Female Flare	
1257013 - 0600	600mm
1257013 - 0900	900mm
1257013 - 1200	1200mm
1257013 - 1500	1500mm
AGA6850 AS/NZS1869	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 33 SERIES Stainless Steel Braided Gas Hose

10mm ID Stainless Steel Braided Hose - **BBQ ASSEMBLY**

LCC27 X 1/4" BSP Female Cone	
1257014 - 0600K	600mm
1257014 - 0900K	900mm
1257014 - 1200K	1200mm
1257014 - 1500K	1500mm
AGA6850 AS/NZS1869	

10mm ID Stainless Steel Braided Hose - **BBQ ASSEMBLY 90deg**

LCC27 X 1/2" BSP Female Cone	
1257015 - 0600K	600mm
1257015 - 0900K	900mm
1257015 - 1200K	1200mm
1257015 - 1500K	1500mm
AGA6850 AS/NZS1869	

NOTES

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

6mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 1/4" BSP Female Cone	
230609 - 0600	600mm
230609 - 0900	900mm
230609 - 1200	1200mm
230609 - 1500	1500mm
230609 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 1/4" BSPT Male	
230610 - 0600	600mm
230610 - 0900	900mm
230610 - 1200	1200mm
230610 - 1500	1500mm
230610 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 3/8" BSPT Male	
230611 - 0600	600mm
230611 - 0900	900mm
230611 - 1200	1200mm
230611 - 1500	1500mm
230611 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 23 SERIES PVC Gas Hose - Black

6mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 1/4" BSPT Male	
230625 - 0600	600mm
230625 - 0900	900mm
230625 - 1200	1200mm
230625 - 1500	1500mm
230625 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45 deg) X 3/8" BSPT Male	
230626 - 0600	600mm
230626 - 0900	900mm
230626 - 1200	1200mm
230626 - 1500	1500mm
230626 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare X 3/8" SAE Female Flare (45deg)	
230627 - 0600	600mm
230627 - 0900	900mm
230627 - 1200	1200mm
230627 - 1500	1500mm
230627 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

6mm ID KEEFLEX PVC Hose

3/8" BSP Female Flare (60deg) X Male Bayonet	
230629 - 0600	600mm
230629 - 0900	900mm
230629 - 1200	1200mm
230629 - 1500	1500mm
230629 - 1800	1800mm
AGA8976 AS/NZS1869 Class B 14kPa	

6mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 1/2" BSPT Male	
230641 - 0600	600mm
230641 - 0900	900mm
230641 - 1200	1200mm
230641 - 1500	1500mm
230641 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

Hand Wheel QCC1 X CGA600 Male (North American & NZ) Webber	
230645 - 0600	600mm
230645 - 0900	900mm
230645 - 1200	1200mm
230645 - 1500	1500mm
230645 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 23 SERIES PVC Gas Hose - Black

6mm ID KEEFLEX PVC Hose

Hand WheelLCC27 X CGA600Male (AUSTRALIA) Webber	
230646 - 0600	600mm
230646 - 0900	900mm
230646 - 1200	1200mm
230646 - 1500	1500mm
230646 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

6mm ID KEEFLEX PVC Hose

1/4" BSPT Male X CGA600 Male	
230647 - 0600	600mm
230647 - 0900	900mm
230647 - 1200	1200mm
230647 - 1500	1500mm
230647 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 1/4" BSP Female Cone	
230809 - 0600	600mm
230609 - 0900	900mm
230609 - 1200	1200mm
230609 - 1500	1500mm
230609 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 1/4" BSPT Male	
230810 - 0600	600mm
230810 - 0900	900mm
230810 - 1200	1200mm
230810 - 1500	1500mm
230810 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/4" BSP Female Cone X 3/8" BSPT Male	
230811 - 0600	600mm
230811 - 0900	900mm
230811 - 1200	1200mm
230811 - 1500	1500mm
230811 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Cone X 1/2" BSP Female Cone	
230812 - 0600	600mm
230812 - 0900	900mm
230812 - 1200	1200mm
230812 - 1500	1500mm
230812 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Cone X 1/2" BSPT Male	
230813 - 0600	600mm
230813 - 0900	900mm
230813 - 1200	1200mm
230813 - 1500	1500mm
230813 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Cone X Male Bayonet	
230814 - 0600	600mm
230814 - 0900	900mm
230814 - 1200	1200mm
230814 - 1500	1500mm
230814 - 1800	1800mm
AGA8976 AS/NZS1869 Class B 14kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSPT Male X Male Bayonet	
230815 - 0600	600mm
230815 - 0900	900mm
230815 - 1200	1200mm
230815 - 1500	1500mm
230815 - 1800	1800mm
AGA8976 AS/NZS1869 Class B 14kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Flare (60deg) X 1/2" BSP Female Flare	
230816 - 0600	600mm
230816 - 0900	900mm
230816 - 1200	1200mm
230816 - 1500	1500mm
230816 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Flare (60deg) X 1/2" BSPT Male	
230817 - 0600	600mm
230817 - 0900	900mm
230817 - 1200	1200mm
230817 - 1500	1500mm
230817 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSP Female Flare (60deg) X Male Bayonet	
230818 - 0600	600mm
230818 - 0900	900mm
230818 - 1200	1200mm
230818 - 1500	1500mm
230818 - 1800	1800mm
AGA8976 AS/NZS1869 Class B 14kPa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 1/4" BSPT Male	
230825 - 0600	600mm
230825 - 0900	900mm
230825 - 1200	1200mm
230825 - 1500	1500mm
230825 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 3/8" BSPT Male	
230826 - 0600	600mm
230826 - 0900	900mm
230826 - 1200	1200mm
230826 - 1500	1500mm
230826 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 3/8" SAE Female Flare	
230827 - 0600	600mm
230827 - 0900	900mm
230827 - 1200	1200mm
230827 - 1500	1500mm
230827 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

3/8" BSP Female Flare (60deg) X Male Bayonet	
230829 - 0600	600mm
230829 - 0900	900mm
230829 - 1200	1200mm
230829 - 1500	1500mm
230829 - 1800	1800mm
AGA8976 AS/NZS1869 Class B 14kPa	

8mm ID KEEFLEX PVC Hose

1/2" BSP Parallel Fixed Female Nut X 1/2" BSP Parallel Loose Male Nut	
230840 - 0600	600mm
230840 - 0900	900mm
230840 - 1200	1200mm
230840 - 1500	1500mm
230840 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

3/8" SAE Female Flare (45deg) X 1/2" BSPT Male	
230841 - 0600	600mm
230841 - 0900	900mm
230841 - 1200	1200mm
230841 - 1500	1500mm
230841 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600Pa	

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

1/4" BSPT Male X 1/2" BSP Parallel Loose Male Nut	
230842 - 0600	600mm
230842 - 0900	900mm
230842 - 1200	1200mm
230842 - 1500	1500mm
230842 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

Hand Wheel QCC1 X CGA600 Male (North American & NZ) Webber	
230845 - 0600	600mm
230845 - 0900	900mm
230845 - 1200	1200mm
230845 - 1500	1500mm
230845 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

8mm ID KEEFLEX PVC Hose

Hand Wheel LCC27 X CGA600 Male (AUSTRALIA) Webber	
230846 - 0600	600mm
230846 - 0900	900mm
230846 - 1200	1200mm
230846 - 1500	1500mm
230846 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX 23 SERIES PVC Gas Hose - Black

8mm ID KEEFLEX PVC Hose

	1/4" BSPT Male X CGA600 Male
230847 - 0600	600mm
230847 - 0900	900mm
230847 - 1200	1200mm
230847 - 1500	1500mm
230847 - 1800	1800mm
AGA8976 AS/NZS1869 Class C 2600kPa	

NOTES

KEEFER BROS (AUST) PTY. LTD.

KEEFLEX GAS HOSES

HOSE LENGTHS

If length is not shown always select the next code/number up - DO NOT select a lower code/number.
If special fitting combinations are required, please contact Keefer Bros. for pricing.
Length overall (LOA) is the distance measured from ferrule to ferrule as shown in the diagram below.



FLEXIBLE GAS CONNECTORS CLASSIFICATION AS/NZS 1869

Class	Typical Application	Max Working Pressure 23°C ± 2°C	Working Temperature Range
A	Low pressure appliance hose	14kPa	-20°C to +65°C
B	Low pressure high temperature appliance hose	14kPa	-20°C to +125°C
C	High pressure appliance and gas tool hose	2600kPa	-20°C to +65°C
D	High pressure high temperature appliance and gas tool hose	2600kPa	-20°C to +125°C
E	High pressure hose - general use (up to 15mm ID)	2600kPa	-50°C to +65°C
F	Flexible cylinder connectors (pigtails)	2600kPa	-20°C to +100°C
G	Automotive - including under bonnet	2600kPa	-20°C to +125°C
H	Transfer hoses (above 15mm ID)	2600kPa	-50°C to +65°C

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFER Gas Flexi Tube - Semi Rigid

KFT4

1/4" Gas Connector
Stainless Steel
Semi - Rigid

OTHER LENGTHS AVAILABLE VIA
SPECIAL ORDER (MIN QTY APPLIES)



CODE	DESCRIPTION	LENGTH
KFT4 - 06	Connector - stainless steel - 1/4" (6.2+0.1mm)	6" (152.4mm)
KFT4 - 08	Connector - stainless steel - 1/4" (6.2+0.1mm)	8" (203.2mm)
KFT4 - 12	Connector - stainless steel - 1/4" (6.2+0.1mm)	12" (304.8mm)
KFT4 - 18	Connector - stainless steel - 1/4" (6.2+0.1mm)	18" (457.2mm)
KFT4 - 24	Connector - stainless steel - 1/4" (6.2+0.1mm)	24" (609.6mm)
KFT4 - 30	Connector - stainless steel - 1/4" (6.2+0.1mm)	30" (762.0mm)
KFT4 - 33	Connector - stainless steel - 1/4" (6.2+0.1mm)	33" (838.2mm)
KFT4 - 36	Connector - stainless steel - 1/4" (6.2+0.1mm)	36" (914.4mm)
KFT4 - 48	Connector - stainless steel - 1/4" (6.2+0.1mm)	48" (1219.2mm)
KFT4 - 60	Connector - stainless steel - 1/4" (6.2+0.1mm)	60" (1524.0mm)
KFT4 - 72	Connector - stainless steel - 1/4" (6.2+0.1mm)	72" (1828.8mm)

KEEFER BROS (AUST) PTY. LTD.

KEEFER Gas Flexi Tube - Semi Rigid

KFT5

5/16" Gas Connector
Stainless Steel
Semi - Rigid

OTHER LENGTHS AVAILABLE VIA
SPECIAL ORDER (MIN QTY APPLIES)



CODE	DESCRIPTION	LENGTH
KFT5 - 07	Connector - stainless steel - 5/16" (7.8+0.1mm)	7" (177.8mm)
KFT5 - 10	Connector - stainless steel - 5/16" (7.8+0.1mm)	10" (254.0mm)
KFT5 - 12	Connector - stainless steel - 5/16" (7.8+0.1mm)	12" (304.8mm)
KFT5 - 18	Connector - stainless steel - 5/16" (7.8+0.1mm)	18" (457.2mm)
KFT5 - 24	Connector - stainless steel - 5/16" (7.8+0.1mm)	24" (609.6mm)
KFT5 - 40	Connector - stainless steel - 5/16" (7.8+0.1mm)	40" (1016.0mm)
KFT5 - 60	Connector - stainless steel - 5/16" (7.8+0.1mm)	60" (1524.0mm)
KFT4 - 80	Connector - stainless steel - 5/16" (7.8+0.1mm)	80" (2032.0mm)

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFER Gas Flexi Tube - Semi Rigid

KFT6

3/8" Gas Connector
Stainless Steel
Semi - Rigid

OTHER LENGTHS AVAILABLE VIA
SPECIAL ORDER (MIN QTY APPLIES)



CODE	DESCRIPTION	LENGTH
KFT6 - 06	Connector - stainless steel - 3/8" (9.35+0.1mm)	6" (152.4mm)
KFT6 - 08	Connector - stainless steel - 3/8" (9.35+0.1mm)	8" (203.2mm)
KFT6 - 12	Connector - stainless steel - 3/8" (9.35+0.1mm)	12" (304.8mm)
KFT6 - 18	Connector - stainless steel - 3/8" (9.35+0.1mm)	18" (457.2mm)
KFT6 - 24	Connector - stainless steel - 3/8" (9.35+0.1mm)	24" (609.6mm)
KFT6 - 30	Connector - stainless steel - 3/8" (9.35+0.1mm)	30" (762.0mm)
KFT6 - 36	Connector - stainless steel - 3/8" (9.35+0.1mm)	36" (914.4mm)
KFT6 - 48	Connector - stainless steel - 3/8" (9.35+0.1mm)	48" (1219.2mm)
KFT6 - 60	Connector - stainless steel - 3/8" (9.35+0.1mm)	60" (1524.0mm)
KFT6 - 72	Connector - stainless steel - 3/8" (9.35+0.1mm)	72" (1828.8mm)

KEEFER BROS (AUST) PTY. LTD.

KEEFER Gas Flexi Tube - Semi Rigid

KFT5

1/2" Gas Connector
Stainless Steel
Semi - Rigid

OTHER LENGTHS AVAILABLE VIA
SPECIAL ORDER (MIN QTY APPLIES)



CODE	DESCRIPTION	LENGTH
KFT8 - 12	Connector - stainless steel - 1/2" (12.55+0.1mm)	12" (304.8mm)
KFT8 - 24	Connector - stainless steel - 1/2" (12.55+0.1mm)	24" (609.6mm)
KFT8 - 36	Connector - stainless steel - 1/2" (12.55+0.1mm)	36" (914.4mm)
KFT8 - 48	Connector - stainless steel - 1/2" (12.55+0.1mm)	48" (1219.2mm)
KFT8 - 60	Connector - stainless steel - 1/2" (12.55+0.1mm)	60" (1524.0mm)
KFT8 - 72	Connector - stainless steel - 1/2" (12.55+0.1mm)	72" (1828.8mm)

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFER Gas Connector - Semi Rigid

KFC10

3/8" Gas Connector
Semi - Rigid

AS4631
AGA Approval No.7397

OTHER LENGTHS AVAILABLE VIA SPECIAL ORDER (MIN QTY APPLIES)



NUMBER	DESCRIPTION	QUANTITY
1	Female Adaptor 3/8" BSPP	1pc
2	Tube Assembly	1pc
3	Male Adaptor 3/8" BSPT	1pc

CODE	DESCRIPTION	L = LENGTH
KFC10 - 12	Connector - FLEXI stainless steel 304 - 3/8" (10mm)	12" (304.8mm)
KFC10 - 18	Connector - FLEXI stainless steel 304 - 3/8" (10mm)	18" (457.2mm)
KFC10 - 24	Connector - FLEXI stainless steel 304 - 3/8" (10mm)	24" (609.6mm)
KFC10 - 48	Connector - FLEXI stainless steel 304 - 3/8" (10mm)	48" (1219.2mm)

KEEFER BROS (AUST) PTY. LTD.

KEEFER Gas Connector - Semi Rigid

KFC15

1/2" Gas Connector
Semi - Rigid

AS4631
AGA Approval No.7397

OTHER LENGTHS AVAILABLE VIA SPECIAL ORDER (MIN QTY APPLIES)



NUMBER	DESCRIPTION	QUANTITY
1	Female Adaptor 1/2" BSPP	1pc
2	Tube Assembly	1pc
3	Male Adaptor 1/2" BSPT	1pc

CODE	DESCRIPTION	L = LENGTH
KFC15 - 12	Connector - FLEXI stainless steel 304 - 1/2" (15mm)	12" (304.8mm)
KFC15 - 18	Connector - FLEXI stainless steel 304 - 1/2" (15mm)	18" (457.2mm)
KFC15 - 24	Connector - FLEXI stainless steel 304 - 1/2" (15mm)	24" (609.6mm)
KFC15 - 36	Connector - FLEXI stainless steel 304 - 1/2" (15mm)	36" (914.4mm)
KFC15 - 48	Connector - FLEXI stainless steel 304 - 1/2" (15mm)	48" (1219.2mm)

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFER Gas Connector - Semi Rigid

KFC20

3/4" Gas Connector
Semi - Rigid

AS4631
AGA Approval No.7397

OTHER LENGTHS AVAILABLE VIA SPECIAL ORDER (MIN QTY APPLIES)



NUMBER	DESCRIPTION	QUANTITY
1	Female Adaptor 3/4" BSPP	1pc
2	Tube Assembly	1pc
3	Male Adaptor 3/4" BSPT	1pc

CODE	DESCRIPTION	L = LENGTH
KFC20 - 12	Connector - FLEXI stainless steel 304 - 3/4" (20mm)	12" (304.8mm)
KFC20 - 18	Connector - FLEXI stainless steel 304 - 3/4" (20mm)	18" (457.2mm)
KFC20 - 24	Connector - FLEXI stainless steel 304 - 3/4" (20mm)	24" (609.6mm)
KFC20 - 36	Connector - FLEXI stainless steel 304 - 3/4" (20mm)	36" (914.4mm)
KFC20 - 48	Connector - FLEXI stainless steel 304 - 3/4" (20mm)	48" (1219.2mm)

KEEFER BROS (AUST) PTY. LTD.

KEEFER Gas Connector - Semi Rigid

KFC25

1" Gas Connector
Semi - Rigid

AS4631
AGA Approval No.7397

OTHER LENGTHS AVAILABLE VIA SPECIAL ORDER (MIN QTY APPLIES)



NUMBER	DESCRIPTION	QUANTITY
1	Female Adaptor 1" BSPP	1pc
2	Tube Assembly	1pc
3	Male Adaptor 1" BSPT	1pc

CODE	DESCRIPTION	L = LENGTH
KFC25 - 12	Connector - FLEXI stainless steel 304 - 1" (25mm)	12" (304.8mm)
KFC25 - 18	Connector - FLEXI stainless steel 304 - 1" (25mm)	18" (457.2mm)
KFC25 - 20	Connector - FLEXI stainless steel 304 - 1" (25mm)	20" (508.0mm)
KFC25 - 24	Connector - FLEXI stainless steel 304 - 1" (25mm)	24" (609.6mm)
KFC25 - 36	Connector - FLEXI stainless steel 304 - 1" (25mm)	36" (914.4mm)
KFC25 - 48	Connector - FLEXI stainless steel 304 - 1" (25mm)	48" (1219.2mm)

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX Gas Bayonet Sockets

KEEFLEX Wall Socket Kit (rear entry)

Part No. 8800500

- Socket for Wall Mounting
- Supplied with brushed stainless steel escutcheon plate, mounting box and screws
- Inlet 1/2" BSP Female
- Suitable in solid brick homes on external wall and fits the normal brick course
- AGA4806 AS/NZS4627 14kPa

KEEFLEX Wall Socket Kit (internal brick)

Part No. 8800700

- Socket for Floor Mounting
- Supplied with brushed stainless steel escutcheon plate, mounting box and screws
- 1/2" BSP Flared Nut
- Suitable in solid brick homes on internal wall
- AGA4806 AS/NZS4627 14kPa

KEEFLEX Wall Socket Kit (timber)

Part No. 8800900

- Socket for Wall Mounting
- Supplied with brushed stainless steel escutcheon plate, stud mounting bracket and screws
- 1/2" BSP Flared Nut
- Suitable in new timber and brick veneer homes
- AGA4806 AS/NZS4627 14kPa

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX Gas Bayonet Sockets

KEEFLEX Socket Angle Chrome Plated

Part No. 8900100

- Socket specifically for cooker connection
- Inlet 1/2" BSPT (tapered thread)
- Available in Plain Brass or Chrome Plated
- AGA4806 AS/NZS4627 14kPa

KEEFLEX Wall Socket Kit with 1/2” copper tube 160mm

Part No. 8900200

- Socket for Wall Mounting
- Supplied with brushed stainless steel escutcheon plate and screws
- Inlet welded copper tube 1/2" x 160mm
- Suitable in new timber, brick veneer and brick homes
- AGA4806 AS/NZS4627 14kPa

KEEFLEX Floor Socket Kit - Standard Base Chrome Plated

Part No. 61900/1

- Socket for Floor Mounting
- Supplied with screws
- Inlet 1/2" BSP Female
- Standard size base
- Chrome plated
- Suitable ifor all existing homes with wooden floors
- AGA4806 AS/NZS4627 14kPa

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX Gas Bayonet Sockets

KEEFLEX Floor Socket Kit - Large Base

Part No. 61900/1LB

- Socket Bayonet Large Base
- Supplied screws
- Inlet 1/2" BSP Female
- Chrome Plated
- Large Base size 85mm dia.
- Suitable for wooden floo and brick wall nounting
- AGA4806 AS/NZS4627 14kPa

KEEFLEX Adaptor Male Bayonet x 1/2" BSPT

Part No. 88816

- Inlet 1/2" Male BSPT (tapered thread)
- Chrome Plated
- Suitable for standard BSP Female hose connections
- AS/NZS4627 14kPa

KEEFLEX Adaptor Male Bayonet x 1/2" BSPP Male

Part No. 88816 - HC

- Inlet 1/2" Male BSPP (parallel thread)
- Chrome Plated
- Suitable for standard BSP Female hose connections
- AS/NZS4627 14kPa

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

KEEFLEX Gas Bayonet Sockets

KEEFLEX Adaptor Male Bayonet x 1/8" BSPT

Part No. 88216

- Inlet 1/8" BSPT Male (tapered thread)
- Chrome Plated
- Suitable for standard BSPT Female hose connections
- AS/NZS4627 14kPa

KEEFLEX Adaptor Male Bayonet x 1/4" BSPT

Part No. 88416

- Inlet 1/4" BSPT Male (tapered thread)
- Chrome Plated
- Suitable for standard BSPT Female hose connections
- AS/NZS4627 14kPa

KEEFLEX Adaptor Male Bayonet x 1/2" SAE MF

Part No. 88817

- Suitable for all standard SAE Female hose connections
- Chrome Plated
- Inlet 1/2" Male SAE Flare
- Standard size base
- AS/NZS4627 14kPa

134 Malcolm Road (PO box 972) Braeside Vic. 3195
Tel: (03) 9580 4777 Fax: (03) 9580 8011
Email:sales@keeferbros.com.au

Millimeters	Inches
1.58mm	1/16"
2.38mm	3/32"
3.17mm	1/8"
3.96mm	5/32"
4.76mm	3/16"
5.56mm	7/32"
6.35mm	1/4"
7.14mm	9/32"
7.94mm	5/16"
8.73mm	11/32"
9.53mm	3/8"
11.11mm	7/16"
11.91mm	15/32"
12.71mm	1/2"
14.29mm	9/16"
15.88mm	5/8"

Millimeters	Inches
17.46mm	11/16"
19.05mm	3/4"
20.64mm	13/16"
22.22mm	7/8"
23.81mm	15/16"
25.4mm	1"
26.99mm	1-1/16"
28.58mm	1-1/8"
30.18mm	1-3/16"
31.75mm	1-1/4"
34.92mm	1-3/8"
38.10mm	1-1/2"
41.28mm	1-5/8"
44.45mm	1-3/4"
47.62mm	1-7/8"
50.8mm	2"

Millimeters	Inches
57.15mm	2-1/4"
60.33mm	2-3/8"
63.50mm	2-1/2"
66.68mm	2-5/8"
69.85mm	2-3/4"
73.03mm	2-7/8"
76.2mm	3"
101.6mm	4"
127.0mm	5"
152.4mm	6"
177.8mm	7"
203.2mm	8"
228.6mm	9"
254.0mm	10"
279.4mm	11"
304.8mm	12"

Gauge	Wall Thickness
4#	5.89mm
6#	4.88mm
8#	4.05mm
10#	3.25mm
12#	2.64mm
13#	2.34mm
14#	2.03mm
16#	1.63mm
17#	1.42mm
18#	1.22mm
19#	1.02mm
20#	0.91mm
21#	0.81mm
22#	0.71mm
24#	0.56mm
26#	0.46mm

WW Tap Standard	Drill	UNF Tap Course	Drill
W1/4	5.1mm	U1/4	5.1mm
W5/16	6.5mm	U5/16	6.6mm
W3/8	7.9mm	U3/8	8.0mm
W7/16	9.3mm	U7/16	9.4mm
W1/2	10.5mm	U1/2	10.8mm
W9/16	12.1mm	U9/16	12.2mm
W5/8	13.5mm	U5/8	13.5mm
W3/4	16.25mm	U3/4	16.5mm
W7/8	19.25mm	U7/8	19.5mm
W1	22.0mm	U1	22.2mm
W1-1/4	28.0mm	U1-1/4	28.0mm
W1-1/2	33.5mm	U1-1/2	34.0mm
W1-3/4	39.0mm	U1-3/4	39.5mm

Metric Tap Course	Drill	Metric Tap Course	Drill
M1.6	1.25mm	M16	14.0mm
M2	1.6mm	M18	15.5mm
M2.5	2.05mm	M20	17.5mm
M3	2.5mm	M22	19.5mm
M3.5	2.9mm	M24	21.0mm
M4	3.3mm	M27	24.0mm
M4.5	3.7mm	M30	26.5mm
M5	4.2mm	M33	29.5mm
M6	5.0mm	M36	32.0mm
M8	6.8mm	M42	37.5mm
M10	8.5mm	M45	40.5mm
M12	10.2mm	M48	43.0mm
M14	12.0mm	M52	47.0mm

NPT and NPSM Thread Chart					
	Pitch	Male Thread OD		Female Thread ID	
Size	TPI	mm	inch	mm	inch
1/8"	27	10.3	0.41	9.4	0.37
1/4"	18	13.7	0.54	12.4	0.49
3/8"	18	17.3	0.68	15.7	0.62
1/2"	14	21.3	0.84	19.3	0.76
3/4"	14	26.9	1.06	24.9	0.98
1"	11.5	33.3	1.31	31.5	1.24
1-1/4"	11.5	42.2	1.66	40.1	1.58
1-1/2"	11.5	48.3	1.9	46.2	1.82
2"	11.5	60.4	2.38	57.9	2.29
2-1/2"	8	71.5	2.82	69.1	2.72

BSPP and BSPT Thread Chart					
	Pitch	Male Thread OD		Female Thread ID	
Size	TPI	mm	inch	mm	inch
1/8"	28	10.3	0.41	9.4	0.37
1/4"	19	13.7	0.54	12.4	0.49
3/8"	19	17.3	0.68	15.7	0.62
1/2"	14	21.3	0.84	19.3	0.76
5/8"	14	22.9	0.90	21.1	0.83
3/4"	14	26.9	1.06	24.9	0.98
1"	11	33.3	1.31	31.5	1.24
1-1/4"	11	42.2	1.66	40.1	1.58
1-1/2"	11	48.3	1.90	46.2	1.82
2"	11	60.4	2.38	57.9	2.29